

COLUMN DRILL MACHINE FOLLOW B35A

Ref: B35A FOLLOW



Tech specs

Brand	FOLLOW
Drilling capacity in steel 60kg	35
Drilling capacity cast iron 200HB	45
Capacity steel thread 60Kg	M-22
Tapping capacity in cast-iron 200 HB	M-35
Transmission	Engranes
Automatic feed	Si
Clutch	Mecánico
Feed number and range	3(0,12-0,24-0,4)
Speed number and range	(12)75-2020
Power of the main motor	1.5
Tapper	MT4
Spindle travel	190
Distance spindle center/ column	340
Column diameter	140
Table surface	540x440
Base surface	415x400
Max. distance between the spindle and the table	610
Distance max. between spindle to base	1195
Base T slot size	2-T14
Dimensions (length x width x height)	849x545x2290
Net/ brut weigth	565/615



Standard equipment

- ?Digital display R.P.M.
- ?Depth readout display
- ?Powered table
- ?Tilting and swivel table
- ?Depth setting
- ?Drill ejector
- ?Coolant system
- ?Tapping system with turning inversion
- ?3 MT sleeve
- ?Drill chuck capacity 1-13mm
- ?Sensitive Wheel
- ?Work Light
- ?Tool box
- ?CE certificate

Images

